

Yiwu Xishun E-Business Firm

Add: F5-19823, 5th Floor, Gate 29, District 2, Yiwu int'l Trade City, yiwu, Zhejiang Province, China.












Website: <http://www.pprpipefittings.com> <http://xspipefittings.en.alibaba.com> <http://www.cnbuyingagent.com>















Name: Jack YOUNG Email: xspipefittings@163.com Mob/wechat/Whatsapp: 0086-13606566995/15205799916 QQ: 359934365 Skype: jackyang535











Name: Robin Hao Email: xspipefittings@126.com Mob/wechat/Whatsapp: 008615825783012 QQ: 403398859





PVC Conduit Pipe Fittings













Article name	Article NO.	O.D. (mm)	W.T. (mm)	length				RMB/PC(M)	remarks	
PVC-U CONDUIT PIPE	CN01	16	0.8	4				70	0.5000	
	CN02		1.2	4			103	0.6200		
	CN03		1.4	4			140	0.78		
	CN04	20	1.1	4				220	0.8000	
	CN05		1.3	4			255	0.8600		
	CN06		1.5	4			597	1.0000		
	CN07	25	1.2	4				916	1.0200	
	CN08		1.4	4			90	1.1800		
	CN09		2	4			130	1.5600		
	CN10	32	1.5	4				120	1.6600	
	CN11		1.7	4			170	1.8700		
	CN12		2.1	4			258			
	CN13	40	1.5	4				323	2.3200	
	CN14		1.7	4			575			
	CN15		1.9	4			1011	2.5900		
	CN16	50	2	4				128	3.7500	
	CN17		2.85	4			168			
	CN18		3.4	4			230			
	CN19	63	3.30-4.10	4				360		
	CN20			4			486			
	CN21			4			744			
CODE NO.	NAME	PHOTO	DESCRIPTION	pcs in ctn	CTN SIZE			inner pack	G/PC	
G01	coupling		16	3100	47	35	31	100	4	
			20	1800	47	35	31	100	7	
			25	1000	47	35	31	100	12	
			32	750	47	35	31		17	
			40	450	47	35	31			
G02	90°elbow		16	2300	47	35	31	100	5	
			20	1400	47	35	31	100		
			25	800	47	35	31	100	13	
			32	400	47	35	31		22	
			40	250	47	35	31			
G03	tee		16	1400	47	35	31	100	8	
			20	800	47	35	31	100	12	
			25	400	47	35	31		21	
			32	300	47	35	31			
			40	180	47	35	31			
G04	converter		16	2200	47	35	31		7	
			20	1800	47	35	31		9	
			25	1000	47	35	31		14	
			32	600	47	35	31			
	converter		16	2200	47	35	31		11	
			20	1800	47	35	31		12	
G05	reducer		20x16	2500	47	35	31			
			25x20	1700	47	35	31			
			32x25	1000	47	35	31			
			40x20	1200	47	35	31			


			40x32	1000	47	35	31				
			50x25	600	47	35	31				
			50x32	600	47	35	31				
			50x40	600	47	35	31				
G06	bend		16	1350	47	35	31		8		
			20	900	47	35	31		11		
			25	450	47	35	31		19		
			32	320	67	35	41		51		
			40	160	67	35	41		96		
G07	inspection elbow		16	990	47	35	31		12		
			20	720	47	35	31				
			25	405	47	35	31				
			32	270	47	35	31				
G08	inspection tee		16	630	47	35	31		18		
			20	450	47	35	31		25		
			25	270	47	35	31		35		
			32	190	47	35	31				
G09	45° Elbow		32	650	47	35	31				
			40	350	47	35	31				
			50	200	47	35	31				
G10	U clip		16	4800	46	26	26.5	400	3		
			20	3000	46	26	26.5	250	4		
			25	1800	46	26	26.5		6		
			32	1200	46	26	26.5		9		
			40	800	46	26	26.5		12		
			50	600	46	26	26.5		16		
G11	line Clip		16	3000	42	26	25		4		
			20	2000	42	26	25		5		
			25	1200	42	26	25		10		
G12	Clamp		20						10		
			25						12		
			32								
			40								
G13	Outlet box		86x50 I	200	63	39.5	26		60		
			86x50 II	200	63.5	39.2	25.8		44		
			86x50 III	200	63.5	38	24.5		41		
			86x60 II	200	62.5	38.5	31.7		45		
			86x70 II	200	62.5	39	37.5				
			86x75 I	120							
G14	brass insert outlet box		brass insert78x38	200	39.5	31	39				
			brass insert78x50	200	63	39.5	25.7				
			brass insert80x38	100	39	32	19.4				
			brass insert80x45	100	39	32	23				
G15	multi outlet box(4-way)		80x50	165	63.5	39.5	26		80		
	multi outlet box(2-way)		80x45	200	63.5	39.5	26		59		

G16	Surfacted outlet box		86x86	200					57		
G17	Double outlet box		168x80x50	100	67	39	36		90		
G18	120 outlet box		110x65x50	180	63.5	33	26		47		
G19	octagon outlet box		86x50	200	62	39	25.5				
			86x60	200	62	39	25.5		43		
			86x70	200	63.5	38	31.5		50		
	octagon outlet box		86x50自攻	200	63.5	40	37.5		52		
			86*50攻牙	215	63.5	39.5	26		65		
G20	Pass box		110x110	108	67	35	41		159		
			150x150	52	67	35	41		281		
G21	one way Lamp box		16	470	67	35	41				
			20	400	67	35	41				
			25		67	35	41				
			32		67	35	41				
			40		67	35	41				
G22	two way Lamp box		16	420	67	35	41				
			20	380	67	35	41				
			25	350	67	35	41				
			32	150	67	35	41				
			40		67	35	41				
G22	Angle Lamp box		16	420	67	35	41				
			20	380	67	35	41				
			25	350	67	35	41				
			32	150	67	35	41				
			40		67	35	41				
G23	three way Lamp box		16	380	67	35	41		44		
			20	350	67	35	41				
			25	280	67	35	41				
			32	140	67	35	41				
			40	120	67	35	41				
G24	four way Lamp box		16	320	67	35	41		48		
			20	300	67	35	41		50		
			25	250	67	35	41				
			32	130	67	35	41				
			40	110	67	35	41				
G25	Brass one way circular box		16	370	67	35	41				
			20	350	67	35	41				
			25								
G26	Brass two way circular box		16	370	67	35	41				
			20	350	67	35	41				
			25								
			16	370	67	35	41				




G26	Brass two way circular box		20	350	67	35	41				
			25								
G27	Brass three way circular box		16	370	67	35	41				
			20	350	67	35	41				
G28	Brass four way circular box		16	370	67	35	41		58		
			20	350	67	35	41				
			25								
G29	one way lamp box extension ring		16	160	49	42	28.5				
			20	160	49	42	28.5		66		
			25	140	49	42	28.5				
G30	two way lamp box extension ring		16	140	49	42	28.5				
			20	140	49	42	28.5		72		
			25	140	49	42	28.5				
G31	three way lamp box extension ring		16	120	49	42	28.5				
			20	120	49	42	28.5		74		
			25	120	49	42	28.5				
G32	four way lamp box extension ring		16	120	49	42	28.5				
			20	120	49	42	28.5		79		
			25	120	49	42	28.5				
AS/NZS2053											
CODE NO.	PHOTO		DESCRIPTION	pcs in ctn	CTN SIZE			inner pack	G/PC		
G51	Sweep Bend (HD)		20mm 90°	500	60	40	40		50		
			25mm 90°	250	60	40	40		81		
			32mm 90°	150	60	40	40		145		
			40mm 90°	60	60	40	40		293		
			50mm 90°	32	60	40	40		491		
			63mm 90°	20	60	40	40		680		
			80mm 90°	12	75	52	40		1617		
			100mm90°	6	90	48	40		3417		
			100mm 45°	12	66	61	39		2267		
			100mm 22°	16	54	43	51		1388		
G52	Sweep Bend(HD,UV resistance)		20mm 90°	500	60	40	40		50		
			25mm 90°	250	60	40	40		81		
			32mm 90°	150	60	40	40		145		
			40mm 90°	60	60	40	40		293		
			50mm 90°	32	60	40	40		491		
			63mm 90°	20	60	40	40		680		
G53	Sweep Bend (MD,UV resistance)		20mm 90°	500	60	40	40		39		
			25mm 90°	250	60	40	40		61		
			32mm 90°	150	60	40	40		109		
			40mm 90°	60	60	40	40		225		
			50mm 90°	32	60	40	40		413		
			100mm 90°	6	90	48	40		2683		
			100mm 45°	12	66	61	39		1850		
			100mm 22°	16	54	43	51		1050		
			20mm	1000	40	30	30		12		

G56	Solid Coupling		25mm	500	40	30	30		15		
			32mm	400	40	30	30		21		
			40mm	190	40	30	30		52		
			50mm	100	45	35	30		83		
			63mm	66	45	35	30		161		
G57	Plain Reducer		20*16mm	3000	40	30	30		4		
			25*20mm	1800	40	30	30		7		
			32*25mm	1000	40	30	30		13		
			40*32mm	525	40	30	30		21		
			50*40mm	360	40	30	30		39		
G58	Reducer		25 to 20mm Reducer	580	40	30	30		35		
G59	Conduit Cap		32mm	540	40	30	30		12		
			40mm	615	40	30	30		20		
			50mm	432	45	35	30		31		
			63mm	210	45	35	30		49		
			80mm	160	45	35	30		79		
			100mm	91	45	35	30		132		
			125mm	54	45	35	30		215		
			150mm	34	45	35	30		276		
G60	Solid Elbow		20mm	600	40	30	30		17		
			25mm	350	40	30	30		23		
G61	Inspection Elbow		20mm	430	40	30	30		30		
			25mm	300	40	30	30		38		
			32	150	45	35	30		71		
G62	Straight Tee		20mm	600	40	30	30		16		
			25mm	345	40	30	30		24		
G63	Inspection Tee		20mm	320	40	30	30		34		
			25mm	160	40	30	30		54		
			32	116	45	35	30		108		
G64	Plain to Screwed Adaptor		20mm	1200	40	30	30		10		
			25mm	600	40	30	30		17		
			32mm	392	40	30	30		24		
			40mm	504	45	35	30		31		
			50mm	210	45	35	30		69		
G65	One Way Shallow J/B		20mm	230	45	35	30		69		
			25mm	210	45	35	30		72		
G66	Two Way Shallow J/B		20mm	175	45	35	30		74		
			25mm	168	45	35	30		79		
G67	Right Angle Shallow J/B		20mm	210	45	35	30		74		
			25mm	175	45	35	30		79		

G68	Three Way Shallow J/B		20mm	145	45	35	30		78		
			25mm	120	45	35	30		83		
G69	Four Way Shallow J/B		20mm	140	45	35	30		81		
			25mm	117	45	35	30		88		
G70	One Way Deep J/B		20mm	120	45	35	30		100		
			25mm	120	45	35	30		103		
G71	Two Way Deep J/B		20mm	120	45	35	30		104		
			25mm	108	45	35	30		109		
G72	Right Angle Deep J/B		20mm	120	45	35	30		104		
			25mm	100	45	35	30		109		
G73	Three Way Deep J/B		20mm	96	45	35	30		107		
			25mm	96	45	35	30		114		
G74	Four Way Deep J/B		20mm	96	45	35	30		111		
			25mm	80	45	35	30		119		
G75	Bend		20mm	600	45	35	30		25		
			25mm	300	45	35	30		39		
			32mm	108	45	35	30		78		
			40mm	120	60	40	40		137		
			50mm	60	60	40	40		255		
G76	Female+Male Conduit Bush		20mm								
			25mm	1600	40	30	30		10		
			32mm	1250	40	30	30		14		
			40mm	575	40	30	30		23		
			50mm	425	40	30	30		28		
G77	Nylon Ring		20mm	6000	40	30	30		1		
			25mm	3000	40	30	30		2		
			32mm	1600	40	30	30		4		
G78	Straight gland		20mm	1000	40	30	30		16		
			25mm	500	40	30	30		29		
			32	500	45	35	30		35		
			40	200	45	35	30		60		
			50	150	45	35	30		86		
G79	Locating Flange		20mm	200	45	35	30		33		
			25mm	200	45	35	30		33		

G80	Pit Bush		32mm	1200	54	40	36		13		
			50mm	380	54	40	36		33		
			100mm	60	54	40	36		190		
G81	Clip Adaptor		20mm	1000	40	30	30		10		
G82	Saddle Spacers		20mm	1000	45	35	30		11		
			25mm	1000	45	35	30		11		
G83	End Plug		20mm	5000	40	30	30		3		
			25mm	2800	40	30	30		4		
G84	Plain to Screwed Coupling		20mm	1350	40	30	30		7		
G85	Adatable Box		77*77*54mm	100	45	35	30		134		
			108*108*76mm	48	45	35	30		321		
			211*108*81mm	20	45	35	30		560		
G86	Saddle Grey		20mm	1900	40	30	30		5		
			25mm	1800	40	30	30		6		
			32mm	1150	40	30	30		9		
G55	Conduit Clip		20	2500	40	30	30		5		
			25	1600	40	30	30		7		
			32	1200	40	30	30		9		
G87	Mounting block		117*73*18mm	210	45	35	30		39		
			117*73*36mm	120	45	35	30		71		
G88	Electric BOX		80*60*37mm Electric BOX	224	45	35	30		75		
			85*67*44mm Electric BOX	138	45	35	30		78.98550725		
G89	Extension Ring		12mm Extension Ring	450	40	30	30		17.11		
			25mm Extension Ring	250	40	30	30		31.2		
G90	Thread Reducer		25*20mm								
			32*25mm	1100	40	30	30		11		
			40*32mm	600	40	30	30		20		
			50*40mm	300	40	30	30		32.67		
G91	Mounting Box		115*73*38mm	120	45	35	30		138.33		
UL 651 ASTM standard											
CODE	Description		DN/OD	QTY/CTN	L	W	H	REMARKS	G/PC		REMARKS
			1/2"	3888	107	53	25	24*162	13		inner box size:26*17*11.5

F01	COUPLING		2-1/2"	72	52	35	25		171		
			3"	200	101	51	35		198		
			4"	150	103	52	43		355		
			6"	36	113	57	33.5		1000		
F02	MALE ADAPTOR		2-1/2"	432	104	52	29		123	put small size into big size	
			3"	200	101	51.5	29		155		
			4"	128	104	52.5	31		263		
F03	END BELLS		3/4"							put small size into big size	
			1"								
			1-1/4"								
			1-1/2"								
			2-1/2"								
F04	FEMALE ADAPTOR		1-1/4"	1050	108	52.5	28.5	3*350	48	inner box size:51.3*35.5*27	
			1-1/2"	810	107.5	53.5	30.5	3*270	66	inner box size:52.5*34.8*29	
			2"	525	108	52	31.5	3*175	87	inner box size:50*35*30	
			2-1/2"								PUT VFA200 INTO VFA300
			3"	200	102	51.5	32		210		
F05	ACCESS FITTING TYPE "T"		1/2"	486	109.5	52	27	3*162	86	inner box size:50.5*36*25.5	
			3/4"								
			1"								
F06	ACCESS FITTING TYPE "LB"		1/2"	720	105	59	29	3*240	90	inner box size:52*34*27.5	
			3/4"	504		53.5	29.5	3*168	127	inner box size:53*36*28	
			1"	300	108.5	52	29	3*100	166	inner box size:51*35.5*28	
			1-1/4"	170	106	53.5	34		346	PUT VLB75 INTO VLB125	
			1-1/2"	146	108	52	37.5		447	PUT VLB75 INTO VLB150	
			2"	104	105	52	45		735	PUT VLB100 INTO VLB200	
			2-1/2"	20	105	51	31		2005		
			3"	20	105	51	31		2025		
F07	ACCESS FITTING TYPE "LR"		1/2"	756	102	51	32	3*252	90	inner box size:50*33*31	
			3/4"	540	111	52	32	3*180	127	inner box size:51*36.5*31	
			1"	315	107	54	29.5		166		
F08	ACCESS FITTING TYPE "LL"		1/2"	756		51	32	3*252	90	inner box size:50*33*31	
			3/4"	540	111	52	32	3*180	127	inner box size:51*36.5*31	
			1"	315	107	54	29.5		166		
F09	END CAP		1/2"	7,200	106	53	26	24*300	8	inner box size:25.5*16.5*12.5	
			3/4"								
			1"								
			2"								
F10	GANG BOX COVER		4"	128	106	53	30		366	PUT VEC75-200 INTO VEC400	
				1,440	108	51.5	25	3*480	36	inner box size:50*35*23	
F11	GANG BOX		1/2"	240	104	52	32		218		
			3/4"	240	104	52	32		206		
			1"	240	104	52	32		188		
			1/2"	240	104	52	32		233		
			3/4"	240	104	52	32		215		
			1"	240	104	52	32		195		
			1/2"	240	107	54	32		220		
			3/4"	240	107	54	32		200		
			1"	240	107	54	32		192		
			1/2"	240	107	54	32		258		
F12	CLIP		1/2"	8400	107	53	25	24*350	5	inner box size:26*17*11.5	
			3/4"	6480	107	53	25	24*270	5	inner box size:26*17*11.5	
			1"	4500	107	53.5	25	3*1500	8	inner box size:52*35*24	
			1-1/4"	3000	107	53.5	25	3*1000	11	inner box size:52*35*24	

			1-1/2"								
			2"								
			2-1/2"	750	107	53	29		39		
F13	REDUCER		1/2*3/4"								
			1-1/2*1-1/4"								
			1-1/4*1"								
			1/2*1"	2520	108	56	23.5	24*105	16		inner box size:26*18.5*11 VMR61 CAN BE PUT INTO VMR63
			1-1/2*2"	600	97	51.5	22.5	3*200	70		inner box size:50.5*31.5*21.5 VMR61-63 CAN BE PUT INTO VMR75
			2-1/2**2"	588	106	53.5	31		120		
F14	EXPANSION JOINTS		3/4"	450	107	53	22.5	3*150	123		inner box size:52*35*21.5
			1"								
			2"	98	103	52	24.5		560		
Description			Size*Thickness (mm)	Outside Diameter (mm)	wall thickness	tolerance	pcs/bag	Weight (g/m)	MOQ (meters)	Price (USD/m)	
PVC UL conduit (schedule 40)			1/2"	21.34	2.77	0.51		269	5000	0.4379	
			3/4"	26.67	2.87	0.51		357	5000	0.5816	
			1"	33.4	3.38	0.51		525	4000	0.8552	
			1-1/4"	42.16	3.56	0.51		710	4000	1.1563	
			1-1/2"	48.26	3.68	0.51		846	4000	1.3787	
			2"	60.32	3.91	0.51		1135	3000	1.8487	
			3"	88.9	5.49	0.66		2346	3000	3.8220	
			4"	114.3	6.02	0.71		3338	2000	5.4384	
	6"	168.28	7.11	0.86		5881	2000	9.5799			