





























Picture	Item No.	Name	Description of goods	Material	Pcs/ctn	Means	G. W.	MOQ	FOB Ningbo
	CN-16A	mini valve	16mm*16mm	POM	500	45*35*35cm	14kg	50000	
	CN-16B	mini valve	16mm*1/2"	POM	500	45*35*35cm	14kg	50000	
	CN-16C	mini valve	16mm*3/4"	POM	500	45*35*35cm	14kg	50000	
	CN-20A	mini valve	20mm*20mm	POM	500	45*35*35cm	14.5kg	50000	
	CN-20B	mini valve	20mm*1/2"	POM	500	45*35*35cm	14.5kg	50000	
	CN-20C	mini valve	20mm*3/4"	POM	500	45*35*35cm	14.5kg	50000	
	CN-20D	mini valve	16mm*20mm	POM	500	45*35*35cm	14.5kg	50000	
	CN-25A	mini valve	25mm*25mm	POM	500	45*35*35cm	16kg	50000	
	CN-25B	mini valve	25mm*1/2"	POM	500	45*35*35cm	16kg	50000	
	CN-25C	mini valve	25mm*3/4"	POM	500	45*35*35cm	16kg	50000	
	CN-25D	mini valve	20mm*25mm	POM	500	45*35*35cm	16kg	50000	
	CN-30	mini valve	Φ 16mm×Φ 12mm undercut bypass valve	POM	500	45*35*35cm	14kg	50000	
	CN-31	mini valve	Φ 16mm×1/2" male replace valve	POM	500	45*35*35cm	18kg	50000	
	CN-32	mini valve	Φ 16mm×1/2" male replace valve	POM	500	45*35*35cm	18kg	50000	
	CN-33	mini valve	Φ 16mm×3/4" male replace valve	POM	500	45*35*35cm	18kg	50000	

	CN-34	mini valve	Φ 16mm×undercut bybass valve	POM	500	45*35*35cm	18kg	50000	
	CN-35	mini valve	Φ 16mm×straight through valve	POM	500	45*35*35cm	19kg	50000	
	CN-36	mini valve	Φ 12mm×Φ 16mm undercut bypass valve	POM	500	45*35*35cm	19kg	50000	
	CN-37	mini valve	Φ 12mm×Φ 16mm undercut bypass valve	POM	500	45*35*35cm	19kg	50000	
	CN-38	mini valve	Φ 12mm×Φ 16mm undercut bypass valve	POM	500	45*35*35cm	19kg	50000	


Pitcure	Item No.	Name	Description of goods	Material	Pcs/ctn	Means	G. W.	MOQ	FOB Ningbo
	CN-8000	dripper	pressure:1-3bar Flux:4-16L/h	PP	5000	45*35*35cm	22.5kg	50000	
	CN-8010	dripper	pressure:1-3bar Flux:2, 4, 6, 8L/h	PP	5000	45*35*35cm	19kg	50000	
	CN-8020	dripper	pressure:1-3bar Flux:4-16L/h	PP	5000	45*35*35cm	19kg	50000	
	CN-8030	dripper	pressure:1-3bar Flux:2-8L/h	PP	5000	45*35*35cm	19kg	50000	
	CN-8040	dripper	pressure:1-3bar Flux:4-16L/h	PP	5000	45*35*35cm	20kg	50000	
	CN-8050	dripper	pressure:1-3bar Flux:4-16L/h	PP	10000	45*35*35cm	15kg	50000	
	CN-8060	dripper	pressure:1-3bar Flux:4L/h, 8L/h	PP	10000	45*35*35cm	12kg	50000	
	CN-8070	dripper	pressure:1-3bar Flux:4, 6L/h	PP	5000	45*35*35cm	21kg	50000	

Picture	Item No.	Name	Description of goods	Material	Pcs/ctn	Means	G. W.	MOQ	FOB Ningbo
	CN-40	fitting	Φ12mm	Rubber	5000	45*35*35cm	18.5kg	50000	
	CN-41A	Fittings	Φ16MMxΦ16mm	PP	5000	45*35*38.5cm	18.5kg	50000	
	CN-41B	Fittings	Φ16MMxΦ16mm Φ20MMxΦ20mm	PP	5000	45*35*38.5cm	19kg	50000	
	CN-42A	Fittings	Φ16mmX16mm Φ20mmX20mm	PP	5000	45*35*38.5cm	28.5kg	50000	
	CN-43A	16MM	Φ16mmX16mm Φ20mmX20mm	PP	5000	45*35*38.5cm	28.5kg	50000	
	CN-44	Fitting	Φ16mm*16mm straight through	PP	2000	54*35*38.5cm	29kg	40000	
	CN-45	Fitting	Φ16mm × undercut bypass	PP	2000	45*35*38.5cm	16kg	40000	
	CN-47	Fitting	Φ16mm × undercut bypass	PP	2000	45*35*38.5cm	27kg	40000	
	CN-49	Fitting	1 inch	PP	100	45*35*38.5cm	20kg	3000	
	CN-100	puncher	Φ15mm	PP	100	45*35*35cm	14kg	3000	
	CN-101	puncher	Φ8mm	PP	500	45*35*35cm	20kg	5000	
	CN-102	puncher	Φ4mm	PP	500	45*35*35cm	20kg	5000	
	CN-103	puncher	Φ4mm	POM	500	45*35*35cm	13.5kg	5000	
	CN-6208	plastic pipe	Spec:1/2"*1/2", 3/4"*3/4" Pressure:6.0 bar Size:15CM or 30CM	PP	250	54*34*38cm	17kg	5000	

Pitcure	Item No.	Name	Description of goods	Material	Pcs/ctn	Means	G. W.	MOQ	FOB Ningbo
	CN-311	Micro Sprinkler	Interface szie: G1/2" Pressure:2.0-3.0bar Range:2-4.5m Flux:0.06-0.37m3/h	POM	400	54*35*38.5cm	21kg	10000	
	CN-313	Micro Sprinkler	Interface szie: G1/2" Pressure:2.0-3.0bar Range:4.5-7.5m Flux:0.13-0.55m3/h	POM	400	54*35*38.5cm	21kg	10000	
	CN-312	Micro Sprinkler	Interface szie: G1/2" Pressure:2.0-3.0bar Range:2.0-4.5m Flux:0.09-0.2m3/h	POM	2000	54*35*38.5cm	22kg	40000	
	CN-313A	Micro Sprinkler	Interface szie: G1/2" Pressure:2.0-3.0bar Range:4.5-7.5m Flux:0.13-0.55m3/h	POM	300	54*35*38.5cm	21kg	9000	
	CN-315	Micro Sprinkler	Pressure:2.0-3.0Bar Range:3-5.5m Flux:0.05-0.28m3/h	POM	2000	54*35*38.5cm	21kg	40000	
	CN-317	Micro Sprinkler	Interface szie: G1/2" Pressure:2.0-3.0bar Range:3-5.5m Flux:0.04-0.15m3/h	POM	1000	54*35*38.5cm	21kg	40000	
	CN-318A	Micro Sprinkler	Interface szie: G3/4" Pressure:1.5-2.5bar Range:3-5.5m Flux:0.05-0.60m3/h	POM	500	45*35*36.5	21kg	30000	
	CN-318B	Micro Sprinkler	Interface szie: G3/4" Pressure:1.5-2.5bar Range:3-5.5m Flux:0.05-0.60m3/h	POM	500	45*35*36.5	21kg	30000	








	CN-319	Micro Sprinkler	Interface szie: G3/4" Pressure:1.5-2.5BAR Range:3-5.5m Flux:0.05-0.60m3/h	POM	300	36*36*31	21kg	30000	
---	---------------	------------------------	--	-----	-----	----------	------	-------	--

















Picture	Item No.	Name	Description of goods	Material	Pcs/ctn	Means	G. W.	MOQ	FOB Ningbo
	CN-80B2	Impact Sprinkler	interface szie: G1/2" Pressure:1.5-4.0bar Range:8-13m Flux:0.5-1.19m3/h	POM	200	49*40*39	15.5kg	5000	
	CN-80B4	Impact Sprinkler	Interface szie: G3/4" Pressure:1.5-4.0bar Range:8-13m Flux:0.5-1.19m3/h	POM	200	62*38*43.5	15.5kg	5000	
	CN-9703A	Impact Sprinkler	Interface szie: G1/2" Pressure:1.5-4.0bar Range:12-18m Flux:1.5-2.3m3/h	POM	200	41*41*46cm	15kg	5000	
	CN-9703B	Impact Sprinkler	Interface szie: G1/2" Pressure:1.5-4.0bar Range:12-18m Flux:1.5-2.3m3/h	POM	200	41*41*46cm	15kg	5000	
	CN-9703C	Impact Sprinkler	Interface szie: G1/2" Pressure:1.5-4.0bar Range:12-18m Flux:1.5-2.3m3/h	POM	200	41*41*46cm	15kg	5000	
	CN-9703D	Impact Sprinkler	Interface szie: G1/2" Pressure:1.5-4.0kg Range:12-18m Flux:1.5-2.3m3/h	POM	200	41*41*46cm	15kg	5000	
	CN-9703E	Impact Sprinkler	Interface szie: G3/4" Pressure:1.5-4.0bar Range:12-18m Flux:1.5-2.3m3/h	POM	200	41*41*46cm	15kg	5000	
	CN-9708A	Zinc Alloy Sprinkler	Interface szie: G1/2" Pressure:1.5-4.0bar Range:6-18m Flux:1.5-2.8m3/h	Zinc Alloy	100	52*34*19cm	21.6kg	3000	
	CN-9708B	Zinc Alloy Sprinkler	Interface szie: G1/2" Pressure:1.5-4.0bar Range:6-18m Flux:1.5-2.8m3/h	Zinc Alloy	100	52*34*19cm	21.6kg	3000	
	CN-9708C	Zinc Alloy Sprinkler	Interface szie: G1/2" Pressure:1.5-4.0bar Range:6-18m Flux:1.5-2.8m3/h	Zinc Alloy	100	52*34*19cm	21.6kg	3000	
	CN-9708D	Zinc Alloy Sprinkler	Interface szie: G1/2" Pressure:1.5-4.0bar Range:6-18m Flux:1.5-2.8m3/h	Zinc Alloy	50	52*34*19cm	16kg	3000	


	CN-5025	Impact Sprinkler	Interface size: G3/4", 1" Pressure: 1.5-4.0bar Range: 13-19m Flux: 0.5-2.0m ³ /h	POM	100	54*34*39	20kg	3000	
---	----------------	------------------	---	-----	-----	----------	------	------	--

Pitcure	Item No.	Name	Description of goods	Material	Pcs/ctn	Means	G. W.	MOQ	FOB Ningbo
	CN-160A 铜嘴	Impact Sprinkler	Interface szie: G3/4" Pressure:1.5-4.0bar Range:11-17m Flux:0.8-3.25m3/h	POM	100	40*35*36	14kg	3000	
	CN-160B铜嘴	Impact Sprinkler	Interface szie: G3/4" Pressure:1.5-4.0bar Range:11-17m Flux:0.8-3.25m3/h	POM	100	40*35*36	13kg	3000	
	CN-160C	Impact Sprinkler	Interface szie: G3/4" Pressure:1.5-4.0bar Range:11-17m Flux:0.8-3.25m3/h	POM	100	40*35*36	11kg	3000	
	CN-160D	Impact Sprinkler	Interface szie: G3/4" Pressure:1.5-4.0bar Range:11-17m Flux:0.8-3.25m3/h	POM	100	40*35*36	14kg	3000	
	CN-5020	Impact Sprinkler	Interface szie: G3/4" Pressure:0.5-4.0 bar Range:3-12m Flux:0.62-2.9m3/h	POM	250	45*35*38.5cm	17.2kg	4000	
	CN-5022A	Impact Sprinkler	Interface szie: G1/2" Pressure:1.5-4.0bar Range:9-13m Flux:0.5-1.74m3/h	POM	200	45*35*28cm	12.4kg	4000	
	CN-5022B	Impact Sprinkler	Interface szie: G1/2" Pressure:1.5-4.0bar Range:9-13m Flux:0.5-1.74m3/h	POM	200	45*35*28cm	12.4kg	4000	
	CN-5022C	Impact Sprinkler	Interface szie: G1/2" Pressure:1.5-4.0bar Range:9-13m Flux:0.5-1.74m3/h	POM	100	45*35*28cm	12.4kg	3000	
	CN-5023A	Impact Sprinkler	Interface szie: G1/2" Pressure:1.5-4.0bar Range:12-18m Flux:0.3-1.3m3/h	POM	200	45*35*28cm	12.4kg	4000	
	CN-5023B	Impact Sprinkler	Interface szie: G1/2" Pressure:1.5-4.0bar Range:12-18m Flux:0.3-1.3m3/h	POM	200	45*35*28cm	12.4kg	4000	
	CN-5035A	Impact Sprinkler	Interface szie: G3/4" Pressure:2.5-5.0bar Range:13-19m Flux:0.7-3.0m3/h	POM	100	40*35*35cm	12.1kg	3000	
	CN-5035B	Impact Sprinkler	Interface szie: G3/4" Pressure:2.5-5.0bar Range:13-19m Flux:0.7-3.0m3/h	POM	100	45*40*35cm	12.1kg	3000	




	CN-5035C	Impact Sprinkler	Interface szie: G3/4", 1" Pressure:2.5-5.0bar Range:13-19m Flux:0.7-3.0m3/h	POM	100	45*40*35cm	12.1kg	3000	
	CN-9809	Impact Sprinkler	interface szie: G1" Pressure:2.0-5.0kg Range:18-25m Flux:2.5-7.0m3/h	POM	50	45*35*32	11kg	3000	
	CN-9811	Impact Sprinkler	Interface szie: G1" Pressure:2.0-5.0bar Range:18-25m Flux:2.5-7.0m3/h	POM	50	45*35*38.5cm	15kg	3000	
	CN-9811A	Impact Sprinkler	Interface szie: G1" Pressure:2.0-5.0bar Range:18-25m Flux:2.5-7.0m3/h	POM	50	45*35*38.5cm	15kg	3000	
	CN-9812	Impact Sprinkler	Interface szie: G1" Pressure:2.0-5.0bar Range:18-25m Flux:2.5-7.0m3/h	PP	50	45*35*38.5cm	15kg	3000	
	N-9806	Impact Sprinkler	Interface szie: G1",3/4" Full circle, plastic impulse sprinkler Pressure:2.0-5.5bar Range:12-19m Flux:0.8-3.25m3/h	POM	50	45*35*30cm	12kg	3000	
	N-9807	Impact Sprinkler	Interface szie: G1",3/4" Full circle, plastic impulse sprinkler Pressure:2.0-5.5bar Range:12-19m Flux:0.8-3.25m3/h	POM	50	45*35*30cm	11kg	3000	
	N-9808	Impact Sprinkler	Interface szie: G1",3/4" Full circle, plastic impulse sprinkler Pressure:2.0-5.5bar Range:12-19m Flux:0.8-3.25m3/h	POM	50	45*35*30cm	11kg	3000	
	N-9813	Impact Sprinkler	Interface szie: G1" Full circle, plastic impulse sprinkler Pressure:2.0-5.0bar Range:18-25m Flux:4.5-12.5m3/h	POM	50	45*35*38.5cm	15kg	3000	
	N-9814A	Impact Sprinkler	Interface szie: G1" Full circle, plastic impulse sprinkler Pressure:2.0-5.0bar Range:18-25m Flux:4.5-12.5m3/h	POM	50	45*35*38.5cm	15.5kg	3000	




	CN-9814B	Impact Sprinkler	Interface szie: G1" Full circle, plastic impulse sprinkler Pressure:2.0-5.0bar Range:18-25m Flux:4.5-12.5m3/h	POM	50	45*35*38.5cm	16kg	3000	
	CN-9815A铜嘴	Impact Sprinkler brass mouthpiece	Interface szie: G3/4" Pressure:2.0-3.0bar Range:8-15m Flux:0.3-1.19m3/h	POM	100	36*36*31	12kg	3000	
	CN-9815D铜嘴	Impact Sprinkler Aluminium mouth	Interface szie: G3/4" Pressure:0.5-3.0bar Range:8-15m Flux:0.6-3.0m3/h	POM	100	36*36*31	10kg	3000	
	CN-9815E铜嘴	Impact Sprinkler brass mouthpiece	Interface szie: G3/4" Pressure:0.5-3.0bar Range:8-15m Flux:0.6-3.0m3/h	POM	100	36*36*31	10kg	3000	
	CN-9948A	Impact Sprinkler	Interface szie: G3/4" Pressure:3.0-5.5bar Range:14-18m Flux:0.8-3.25m3/h	POM	100	45*35*35cm	14kg	3000	
	CN-9948B	Impact Sprinkler	Interface szie: G3/4" Pressure:3.0-5.5bar Range:14-18m Flux:0.8-3.25m3/h	POM	100	45*35*35cm	14kg	3000	
	CN-9949	Impact Sprinkler	Interface szie: G3/4" Pressure:3.0-5.5bar Range:14-18m Flux:0.8-3.25m3/h	POM	100	45*35*35cm	14kg	3000	
	CN-9821	Impact Sprinkler	Interface szie: G3/2" Pressure:2.0-6.0bar Range:20-36m Flux:9.12-31.98m3/h	PP	20	40*33*38.5cm	14kg	1500	

Picture	Item No.	Name	Description of goods	Material	Pcs/ctn	Means	G. W.	MOQ	FOB Ningbo
	CN-7201	Micro Sprinkler	Pressure:1.5-3.0bar Range:3.0-4.7m Flux:22.8-109.7L/H	POM	5000	45*35*38.5cm	21kg	50000	
	CN-7201A	Micro Sprinkler	Pressure:1.5-3.0bar Range:3.0-4.7m Flux:22.8-109.7L/H	POM	5000	45*35*38.5cm	21kg	50000	
	CN-7202	Micro Sprinkler	Pressure:1.5-3.0bar Range:0.9-1.3m Flux:22.8-109.7L/H	POM	5000	45*35*38.5cm	20kg	50000	
	CN-7202A	Micro Sprinkler	Pressure:1.5-3.0bar Range:0.9-1.3m Flux:22.8-109.7L/H	POM	5000	45*35*38.5cm	20kg	50000	
	CN-7203	Micro Sprinkler	Pressure:1.5-3.0bar Range:3.0-4.7m Flux:22.8-109.7L/H	POM	500	54*39*34CM	28kg	20000	
	CN-7205	Micro Sprinkler	Pressure:1.5-3.0bar Range:0.9-1.3m Flux:22.8-109.7L/H	POM	500	54*39*34CM	28kg	20000	
	CN-300	Micro Sprinkler	Pressure:2.0-2.5bar Range:2.8-4.0m Flux:35-140L/H	POM	10000	45*35*38.5cm	35kg	50000	
	CN-301A	Micro Sprinkler	Pressure:2.0-2.5bar Range:2.8-4.0m Flux:35-140L/H	POM	10000	45*35*38.5cm	34kg	50000	
	CN-302	Micro Sprinkler	Pressure:2.0-2.5bar Range:3.0-6.0m Flux:45-180L/H	POM	10000	45*35*38.5cm	35kg	50000	
	CN-303	Micro Sprinkler	Pressure:2.0-2.5bar Range:1.8-3.0m Flux:35-110L/H	POM	10000	45*35*38.5cm	27kg	50000	
	CN-305A	Micro Sprinkler	Pressure:2.0-2.5bar Range:2.8-4.0m Flux:35-140L/H	POM	5000	45*35*38.5cm	33kg	50000	
	CN-305B	Micro Sprinkler	Pressure:2.0-2.5bar Range:3.0-6.0m Flux:45-180L/H	POM	5000	45*35*38.5cm	33kg	50000	
	CN-305C	Micro Sprinkler	Pressure:2.0-2.5bar Range:1.8-3.0m Flux:35-110L/H	POM	5000	45*35*38.5cm	25kg	50000	
	CN-306	Micro Sprinkler	Pressure:2.0-2.5bar Range:3.0-6.0m Flux:45-180L/H	POM	5000	45*35*38.5cm	29kg	50000	
	CN-307	Micro Sprinkler	Pressure:2.0-2.5bar Range:2.8-4.0m Flux:35-140L/H	POM	5000	45*35*38.5cm	28kg	50000	
	CN-308	Micro Sprinkler	Pressure:2.0-2.5bar Range:1.8-3.0m Flux:35-110L/H	POM	5000	45*35*38.5cm	24kg	50000	

	CN-3010	Micro Sprinkler	Pressure:2.0-2.5bar Range:3.0-6.0m Flux:45-180L/H	POM	600	58*41*51	28kg	20000	
	CN-3020	Micro Sprinkler	Pressure:2.0-2.5bar Range:2.8-4.0m Flux:35-140L/H	POM	600	58*41*51	28kg	20000	
	CN-3030	Micro Sprinkler	Pressure:2.0-2.5bar Range:1.8-3.0m Flux:35-110L/H	POM	600	58*41*51	28kg	20000	
	CN-3050	Micro Sprinkler	Pressure:2.0-2.5bar Range:1.8-3.0m Flux:35-140L/H	POM	1000	58*41*51	23kg	20000	
	CN-309	Micro Sprinkler	Pressure:2.0-4.0bar Range:0.9-1.0m Flux:32-43L/H	POM	500	58*41*51	23kg	20000	

Picture	Item No.	Name	Description of goods	Material	Pcs/ctn	Means	G. W.	MOQ	FOB Ningbo
	CN-5130	filter	Spec:1 or 3/4 inch Pressure:0-10 bar Flux:1-10L/H Mesh:120/150mesh screen filter	PP	100	65*28*62cm	25kg	3000	
	CN-5140	filter	Spec:1 or 3/4 inch Pressure:0-10 bar Flux:1-10L/H Mesh:120/150mesh Disc filter	PP	100	65*28*62cm	26kg	3000	
	CN-5150	filter	Spec:2/3 or 2 inch Pressure:0-10 bar Flux:1-10L/H Mesh:120/150mesh screen filter	PP	12	65*28*62cm	13kg	600	
	CN-5160	filter	Spec:2/3 or 2 inch Pressure:0-10 bar Flux:1-10L/H Mesh:120/150mesh Disc filter	PP	12	65*28*62cm	14kg	600	
	CN-5200	filter	Spec:2/2.5/3 inch Pressure:0-15 bar Flux:0-25/0-30/0-35L/H Mesh:80/120mesh	Nylon	1	58*32*29cm	7.5kg	100	

Pitcure	Item No.	Name	Description of goods	Material	Pcs/ctn	Means	G. W.	MOQ	FOB Ningbo
	JHM-708	Valve box	6 inch valve box	PP	50	70*43*43cm	20kg	2000	
	JHM-910	Valve box	10 inch valve box	PP	10	100*35*35cm	17.5kg	1000	
	JHM-1419	Valve box	12 inch valve box	PP	5	55*42*73cm	24kg	1000	

Picture	Item No.	Name	Description of goods	Material	Pcs/ctn	Means	G. W.	MOQ	FOB Ningbo
	CN-5080	Quick Couping Valve	2 Parts in 1 set, G3/4" Pressure:8.2 bar	PP	100	59*39*42cm	22kg	2000	
	CN-5090	Quick Couping Valve	2 Parts in 1 set, G3/4" Pressure:8.2 bar	PP	100	59*39*42cm	22kg	2000	
	CN-5100	Quick Couping Valve	3 Parts in 1 set, G1" Pressure:10.0 bar	PP	100	62*38*50	22kg	2000	