

Zhuji Xishun Welding Equipment Co., Ltd.

Add: Ciwu Industrial Zone, Ciwu town, Zhuji city, Zhejiang province, China

MOB (WECHAT/WHATSAPP) :+8615205799916 Email: xspipefittings@163.com

Picture	Main parameter	Accessories
	Double temperature double control Power:1500W or 2000W Temperature:0-300°C Voltage: 220V or 110V Frequency: 50Hz QTY: 5pcs Meas: 47.5*29.5*51cm G. W/N. W: 24/23KGS Model:63AT/63BT Factory price:¥105	Tape measure, Scissors, Cowhide gloves, Bolt driver, Inner hexagon spanner Iron handle, Iron stents 20mm, 25mm, 32mm, 40mm, 50mm, 63mm Thickening die head, Heating plate polishing
	Double temperature double control Power:1500W or 2000W Temperature:0-300°C Voltage: 220V or 110V Frequency: 50Hz QTY: 5pcs Meas: 47.5*29.5*51cm G. W/N. W: 24/23KGS Model:BT-63-1 Factory price:¥113	Tape measure, Scissors, Cowhide gloves, Bolt driver, Inner hexagon spanner Iron handle, Aluminum stents 20mm, 25mm, 32mm, 40mm, 50mm, 63mm Thickening die head, Heating plate polishing
	Double temperature double control Power:1500W or 2000W Temperature:0-300°C Voltage: 220V or 110V Frequency: 50Hz QTY: 5pcs Meas: 51.5*29.5*54cm G. W/N. W: 32/31KGS Model:ET-63-1 Factory price:¥129	Tape measure, large scissors, Cowhide gloves, Bolt driver, Inner hexagon spanner Iron handle, Iron stents 20mm, 25mm, 32mm, 40mm, 50mm, 63mm Thickening die head, Heating plate polishing Add a heating plate
	Double temperature double control Power:1500W or 2000W Temperature:0-300°C Voltage: 220V or 110V Frequency: 50Hz QTY: 5pcs Meas: 47.5*29.5*51cm G. W/N. W: 24/23KGS Model:BT-63-2 Factory price:¥113	Tape measure, Scissors, Cloth gloves, Bolt driver, Inner hexagon spanner Aluminum handle, Iron stents 20mm, 25mm, 32mm, 40mm, 50mm, 63mm Thickening die head, Teflon paint for heating plate
	Double temperature double control Power:1500W or 2000W Temperature:0-300°C Voltage: 220V or 110V Frequency: 50Hz QTY: 5pcs Meas: 51.5*29.5*54cm G. W/N. W: 34/33KGS Model:ET-63-2 Factory price:¥151	Tape measure, large scissors, Cowhide gloves, Bolt driver, Inner hexagon spanner Aluminum handle, Aluminum stents 20mm, 25mm, 32mm, 40mm, 50mm, 63mm Thickening die head, Heating plate polishing, Add a heating plate, Increase wire extension line
	Double temperature double control Power:1500W or 2000W Temperature:0-300°C Voltage: 220V or 110V Frequency: 50Hz QTY: 5pcs Meas: 51.5*29.5*54cm G. W/N. W: 25/24KGS Model:KKT-63-2 Factory price:¥113	Tape measure, large scissors, Bolt driver, Inner hexagon spanner Iron handle, Iron stents 20mm, 25mm, 32mm, 40mm, 50mm, 63mm Thickening die head, Heating plate polishing, Blow molding packaging
	Double temperature double control Power:1500W or 2000W Temperature:0-300°C Voltage: 220V or 110V Frequency: 50Hz QTY: 5pcs Meas: 51.5*29.5*54cm	Tape measure, large scissors, Cowhide gloves, Bolt driver, Inner hexagon spanner Aluminum handle, Aluminum stents 20mm, 25mm, 32mm, 40mm, 50mm, 63mm Thickening die head,

		G. W/N. W: 26/25KGS Model:KKT-63-1 Factory price:¥126	Heating plate polishing, Blow molding packaging
		Regulating temperature Power:800W Temperature:0-300°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 41*41*49.5cm G. W/N. W:26/254KGS Model:E-63-1 Factory price:¥62	Llner hexagon apanner,Bolt driver, 20mm, 25mm, 32mm, 40mm, 50mm, 63mm Thickening die head,
		Regulating temperature Power:800W Temperature:0-300°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 41*41*49.5cm G. W/N. W:26/25KGS Model:F-63-1/F-32-1 Factory price:¥54/¥70	Llner hexagon apanner,Bolt driver, 20mm, 25mm, 32mm, 40mm, 50mm, 63mm Thickening die head, Machine with awitch Teflon paint for heating plate
		Ordinary Electronics Power:600W Temperature:280°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 41*41*49.5cm G. W/N. W:16/17KGS Model:32SKC Factory price:¥38	Llner hexagon apanner,Bolt driver, 20mm, 25mm, 32mm Thin die head, Matte heating plate
		Electronic melting apparatus Power:600W Temperature:280°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 41*41*49.5cm G. W/N. W:24/25KGS Model:63SKC Factory price:¥54	Llner hexagon apanner,Bolt driver, 20mm, 25mm, 32mm, 40mm, 50mm, 63mm Thin die head, Matte heating plate
		Electronic melting apparatus Power:600W Temperature:280°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 41*41*49.5cm G. W/N. W:20/19KGS Model:SK-32-4 Factory price:¥54	Llner hexagon apanner,Bolt driver, 20mm, 25mm, 32mm Thickening die head, Teflon paint for heating plate
		Electronic melting apparatus Power:800W Temperature:280°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 41*41*49.5cm G. W/N. W:27/26KGS Model:SK-63-4 Factory price:¥75	Llner hexagon apanner,Bolt driver, 20mm, 25mm, 32mm, 40mm, 50mm, 63mm Thickening die head, Teflon paint for heating plate
		Electronic melting apparatus Power:600W Temperature:280°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 41*41*49.5cm G. W/N. W:21/20KGS Model:SK-32-5 Factory price:¥64	Llner hexagon apanner,Bolt driver, 20mm, 25mm, 32mm Thickening die head, Teflon paint for heating plate
		Electronic melting apparatus Power:600W	Llner hexagon apanner,Bolt driver, 20mm, 25mm, 32mm

		Temperature:280°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 41*41*49.5cm G. W/N. W:20/19KGS Model:SK-32-2 Factory price:¥46	Thickening die head, Heating plate polishing
		Electronic melting apparatus Power:800W Temperature:280°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 41*41*49.5cm G. W/N. W:27/26KGS Model:SK-63-2 Factory price:¥68	Llner hexagon apanner,Bolt driver, 20mm, 25mm, 32mm, 40mm, 50mm, 63mm Thickening die head, Heating plate polishing
		Electronic melting apparatus Power:600W Temperature:280°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 41*41*49.5cm G. W/N. W:20/19KGS Model:SK-32-1 Factory price:¥43	Llner hexagon apanner,Bolt driver, 20mm, 25mm, 32mm Thickening die head, Heating plate polishing
		Electronic melting apparatus Power:800W Temperature:280°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 41*41*49.5cm G. W/N. W:27/26KGS Model:SK-63-1 Factory price:¥64	Llner hexagon apanner,Bolt driver, 20mm, 25mm, 32mm, 40mm, 50mm, 63mm Thickening die head, Heating plate polishing
		Regulating temperature Power:600W Temperature:0-300°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 48*30*44cm G. W/N. W:24/23KGS Model:QT-32-1 Factory price:¥118	Llner hexagon apanner,Bolt driver, 20mm, 25mm, 32mm Special die head, Heating head copper-clad aluminum
		Regulating temperature Power:600W Temperature:0-300°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 47.5*32*50cm G. W/N. W:25/24KGS Model:HT-32-1 Factory price:¥86	Llner hexagon apanner,Bolt driver, 20mm, 25mm, 32mm Extra thick die head Heating plate polishing
		Regulating temperature Power:800W Temperature:0-300°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 50*42*65cm G. W/N. W:25/24KGS Model:HT-63-1 Factory price:¥118	Llner hexagon apanner,Bolt driver, 20mm, 25mm, 32mm, 40mm, 50mm, 63mm Extra thick die head Heating plate polishing
		Microcomputer constant temperatur Power:600W Temperature:280°C Voltage: 220V Frequency: 50Hz QTY: 10pcs Meas: 41*41*49.5cm G. W/N. W:23/22KGS Model:SZ-32-1	Llner hexagon apanner,Bolt driver, 20mm, 25mm, 32mm Extra thick die head

		Factory price:¥70	
		Microcomputer digital display Power:600W Temperature:0-300°C Voltage: 220V Frequency: 50Hz QTY: 10pcs Meas: 41*41*49.5cm G. W/N. W:23/22KGS Model: SX-32-1 Factory price:¥81	Linner hexagon apanner, Bolt driver, 20mm, 25mm, 32mm Extra thick die head
		Electronic melting apparatus Power:1000W Temperature:280°C Voltage: 220V or 110V Frequency: 50Hz QTY: 5pcs Meas: 47.5*29.5*51cm G. W/N. W:21/20KGS Model: SK-110-1 Factory price:¥95	Linner hexagon apanner, Bolt driver, 75mm, 90mm, 110mm Thickening die head, Teflon paint for heating plate
		Electronic melting apparatus Power:1000W Temperature:280°C Voltage: 220V or 110V Frequency: 50Hz QTY: 5pcs Meas: 47.5*29.5*51cm G. W/N. W:21/20KGS Model: SK-110-2 Factory price:¥91	Linner hexagon apanner, Bolt driver, 75mm, 90mm, 110mm Thickening die head,
		Common adjustment temperature Power:600W Temperature:0-300°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 45.5*36*36.5cm G. W/N. W:13/12KGS Model: 32BC red Factory price:¥29	Linner hexagon apanner, Bolt driver, 20mm, 25mm, 32mm Ordinary double-sided spray die head
		Common adjustment temperature Power:800W Temperature:0-300°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 45.5*36*36.5cm G. W/N. W:17/16KGS Model: 63BC red Factory price:¥42	Linner hexagon apanner, Bolt driver, 20mm, 25mm, 32mm, 40mm, 50mm, 63mm Ordinary double-sided spray die head
		Common adjustment temperature Power:600W Temperature:0-300°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 45.5*36*36.5cm G. W/N. W:13/12KGS Model: 32BC Factory price:¥27	Linner hexagon apanner, Bolt driver, 20mm, 25mm, 32mm Ordinary single side sprayed die head, Iron box
		Common adjustment temperature Power:800W Temperature:0-300°C Voltage: 220V or 110V Frequency: 50Hz QTY: 10pcs Meas: 45.5*36*36.5cm G. W/N. W:17/16KGS Model: 63BC Factory price:¥41	Linner hexagon apanner, Bolt driver, 20mm, 25mm, 32mm, 40mm, 50mm, 63mm Ordinary single side sprayed die head, Iron box
		Common adjustment temperature Power:600W Temperature:0-300°C Voltage: 220V or 110V	Linner hexagon apanner, Bolt driver, 20mm, 25mm, 32mm Ordinary single side sprayed die head, The plastic box



Frequency: 50Hz
 QTY: 10pcs Meas: 39*34*46cm
 G. W/N. W:13/12KGS
 Model:32SB
 Factory price:¥26



Common adjustment temperature
 Power:800W
 Temperature:0-300°C
 Voltage: 220V or 110V
 Frequency: 50Hz
 QTY: 10pcs Meas: 39*34*46cm
 G. W/N. W:17/16KGS
 Model:63SB
 Factory price:¥39

Linner hexagon apanner, Bolt driver,
 20mm, 25mm, 32mm, 40mm, 50mm, 63mm
 Ordinary single side sprayed die
 head, The plastic box



20-32 Factory price: ¥172
 20-63 Factory price: ¥205
 75-110 Factory price: ¥270



20-40 Factory price: ¥66















20-32 Factory price: ¥86
 20-63 Factory price: ¥118



Microcomputer digital display
 20-32 Factory price: ¥129
 20-63 Factory price: ¥162

Xishun PE welding machine price list

Picture	model	Main performance&Technical parameters
	63-160manual two rings	welding specification:63mm, 75mm, 90mm, 110mm
		125mm, 140mm, 160mm
		Butt deviation:≤0.3mm
		Total power consumption: 1.85KW/220V
		working temperature: 220℃
		size: 45*45*39cm weight: 28KG
		Packing: wooden box Factory price: ¥800
	63-200manual two rings	welding specification:63mm, 75mm, 90mm, 110mm
		125mm, 140mm, 160mm, 180mm, 200mm
		Butt deviation:≤0.3mm
		Total power consumption: 2.3KW/220V
		working temperature: 220℃
		size: 45*47*39cm weight: 35KG
		Packing: wooden box Factory price: ¥1000
	90-250manual two rings	welding specification:90mm, 110mm, 125mm
		140mm, 160mm, 180mm, 200mm, 225mm, 250mm
		Butt deviation:≤0.3mm
		Total power consumption: 3.1KW/220V
		working temperature: 220℃
		size: 61*54*56cm weight: 61KG
		Packing: wooden box Factory price: ¥1950
	63-160manual four rings	welding specification:63mm, 75mm, 90mm, 110mm
		125mm, 140mm, 160mm
		Butt deviation:≤0.3mm
		Total power consumption: 1.85KW/220V
		working temperature: 220℃
		size: 61*39*46cm weight: 38KG
	Packing: wooden box Factory price: ¥1080	
	63-200manual four rings	welding specification:63mm, 75mm, 90mm, 110mm
		125mm, 140mm, 160mm, 180mm, 200mm
		Butt deviation:≤0.3mm
		Total power consumption: 2.3KW/220V
		working temperature: 220℃
		size: 61*39*48cm weight: 45KG
	Packing: wooden box Factory price: ¥1300	
90-250manual four rings	welding specification:90mm, 110mm, 125mm	
	140mm, 160mm, 180mm, 200mm, 225mm, 250mm	
	Butt deviation:≤0.3mm	
	Total power consumption: 3.1KW/220V	
	working temperature: 220℃	
	size: 75*51*53cm weight: 79KG	
	Packing: wooden box Factory price: ¥2450	
	63-160 hand two rings	welding specification:63mm, 75mm, 90mm, 110mm
		125mm, 140mm, 160mm
		Butt deviation:≤0.3mm
		Total power consumption: 1.85KW/220V
		working temperature: 220℃
		size: 60*55*43cm weight: 40KG
		Packing: wooden box Factory price: ¥1700
	63-200 hand two rings	welding specification:63mm, 75mm, 90mm, 110mm
		125mm, 140mm, 160mm, 180mm, 200mm
		Butt deviation:≤0.3mm
		Total power consumption: 2.3KW/220V
		working temperature: 220℃
		size: 70*54*54cm weight: 48KG
		Packing: wooden box Factory price: ¥2000
	63-160manual four rings	welding specification:63mm, 75mm, 90mm, 110mm
		125mm, 140mm, 160mm
		Butt deviation:≤0.3mm
		Total power consumption: 1.85KW/220V
		working temperature: 220℃

	<p>63-200 manual four rings</p>	<p>size: 77*57*44cm weight: 54KG Packing: wooden box Factory price: ¥2000</p> <hr/> <p>welding specification: 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm Butt deviation: ≤0.3mm Total power consumption: 2.3KW/220V working temperature: 220°C size: 77*61*55cm weight: 64KG Packing: wooden box Factory price: ¥2300</p>
	<p>63-160 hydraulic butt welder</p>	<p>welding specification: 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm Butt deviation: ≤0.3mm Total power consumption: 2.45KW/220V Working pressure of hydraulic system: 0-6Mpa working temperature: 220°C Frame size: 94*54*50cm weight: 60KG Hydraulic pump size: 73*51*50cm weight: 53KG Packing: two wooden box Factory price: ¥4395</p> <hr/> <p>welding specification: 63mm, 75mm, 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm Butt deviation: ≤0.3mm Total power consumption: 3.05KW/220V Working pressure of hydraulic system: 0-6Mpa working temperature: 220°C Frame size: 94*54*50cm weight: 69KG Hydraulic pump size: 73*51*50cm weight: 53KG Packing: two wooden box Factory price: ¥4620</p>
	<p>90-250 hydraulic butt welder</p>	<p>welding specification: 90mm, 110mm, 125mm, 140mm, 160mm, 180mm, 200mm, 225mm, 250mm Butt deviation: ≤0.3mm Total power consumption: 3.5KW/220V Working pressure of hydraulic system: 0-6Mpa working temperature: 220°C Frame size: 94*54*50cm weight: 80KG Hydraulic pump size: 74*70*67cm weight: 92KG Packing: two wooden box Factory price: ¥5720</p> <hr/> <p>welding specification: 160mm, 180mm, 200mm, 225mm, 250mm, 280mm, 315mm Butt deviation: ≤0.3mm Total power consumption: 4.95KW/220V Working pressure of hydraulic system: 0-6Mpa working temperature: 220°C Frame size: 100*60*64cm weight: 93KG Hydraulic pump size: 74*70*67cm weight: 92KG Packing: two wooden box Factory price: ¥6250</p>
	<p>280-450 hydraulic butt welder</p>	<p>welding specification: 280mm, 315mm, 355mm, 400mm, 450mm Butt deviation: ≤0.3mm Total power consumption: 10.5KW/380V Working pressure of hydraulic system: 0-6Mpa working temperature: 220°C Frame size: 132*90*96cm weight: 250KG Hydraulic pump size: 73*51*50cm weight: 50KG Basket size: 95*55*130cm weight: 142KG Packing: three wooden box Factory price: ¥13750</p> <hr/> <p>welding specification: 400mm, 450mm, 500mm, 560mm, 630mm Butt deviation: ≤0.3mm Total power consumption: 12.2KW/380V Working pressure of hydraulic system: 0-6Mpa working temperature: 220°C Frame size: 150*102*109cm weight: 350KG Hydraulic pump size: 71*51*50cm weight: 50KG Basket size: 102*67*142cm weight: 200KG Packing: three wooden box Factory price: ¥19800</p>
	<p>630-800 hydraulic butt welder</p>	<p>welding specification: 630mm, 710mm, 800mm Butt deviation: ≤0.3mm Total power consumption: 15.1KW/380V Working pressure of hydraulic system: 0-10Mpa working temperature: 220°C Frame size: 186*135*135cm weight: 780KG Hydraulic pump size: 83*60*56cm weight: 700KG Basket size: 136*76*187cm weight: 405KG Packing: three wooden box Factory price: ¥38500</p>