SQUARE MANHOLE COVER

External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading Capacity
750x750mm	605x605mm	600x600mm	100mm	84KG	EN124 D400

IN THE PARTY OF THE PARTY OF	External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading Capacity
	800X800mm	610x610mm	600x600mm	100mm	78KG	EN124 D400

	External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading Capacity
	400X400mm	340x340mm	300x300mm	30mm	9KG	EN124 B125
	500X500mm	440x440mm	400x400mm	35mm	15KG	EN124 B125
	400X400mm	340x340mm	300x300mm	35mm	12KG	EN124 C250
	500X500mm	440x440mm	400x400mm	40mm	20KG	EN124 C250
	600x600mm	540x540mm	500x500mm	45mm	29KG	EN124 C250
V	700X700mm	640x640mm	600x600mm	48mm	41KG	EN124 C250
	700X700mm	640x640mm	600x600mm	100mm	61KG	EN124 D400

External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading Capacity
755X755mm	640x640mm	600x600mm	80mm	64KG	EN124 B125

Contra D	External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading Capacity
	810X810mm	710x710mm	600x600mm	80mm	75KG	EN124 D400

 External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading Capacity
970X970mm	850x850mm	800x800mm	65mm	95KG	EN124 B125
1000X1000mm	900x900mm	850x850mm	40mm	94KG	EN124 B125

External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading Capacity
1370X835mm	1230x690mm	1230x690mm	100mm	180KG	EN124 D400


External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading C	Capacity
675X525mm	645x495mm	610x450mm	40mm	26KG	EN124	A125
630X480mm	615x455mm	570x420mm	40mm	28KG	EN124	A125

External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading C	apacity
1050X750mm	900x600mm	850x550mm	100mm	82KG	EN124	D400
1030X730mm	940x640mm	900x600mm	40mm	66KG	EN124	A125













ROUND MANHOLE COVER

.0	External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading Capacity
	Ø850mm	Ø635mm	Ø600mm	Ø100mm	53KG	EN124 D400

	External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading Capacity
CARLO	Ø600mm	Ø530mm	Ø500mm	60mm	34KG	EN124 C250
	Ø750mm	Ø630mm	Ø600mm	100mm	48KG	EN124 C250
	Ø750mm	Ø630mm	Ø600mm	100mm	60KG	EN124 D400

	External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading Capacity
100 100	Ø850mm	Ø725mm	Ø700mm	100mm	72KG	EN124 D400
L CONTRACTOR	Ø850mm	Ø680mm	Ø650mm	75mm	54KG	EN124 C250

N	External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading Capacity
	Ø650mm	Ø540mm	Ø510mm	100mm	56KG	EN124 D400

	External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading Capacity
THE REAL PROPERTY OF	Ø1040mm	Ø850mm	Ø800mm	60mm	65KG	EN124 B125
	Ø920mm	Ø850mm	Ø800mm	60mm	62KG	EN124 B125


	External Size	Cover Diamete r	Clear Opening	Depth	Weigh t	Loading Capacity
	850x850m	Ø650m	Ø600m	100m	65KG	EN124 D40
	m	m	m	m	0310	0
	850x850m	Ø650m	Ø600m	100m	60KG	360KN
	m	m	m	m	UUKG	300KN
- A A A	850x850m	Ø650m	Ø600m	80mm	EEVC	EN124 C250
	m	m	m	0011111	55KG	EN124 C250
	850x850m	Ø650m	Ø600m	75 mm	Fake	
	m	m	m	75mm	52KG	EN124 C250

	(C)	External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading Capacity	
	S	600X600mm		ø	50mm	34kg	EN124 C2	
	500x500mm	Ø400mm	Ø370mm	50mm	20kg	EN124 C2	50	
	500x500mm	Ø400mm	Ø370mm	50mm	15kg	EN124 B1	125	

External Size	Cover Diamete r	Clear Opening	Depth	Weigh t	Load Capa	•
850x850m m	Ø640m m	Ø600m m	100m m	55KG	EN124 0	D40
850x850m m	Ø640m m	Ø600m m	80mm	46KG	EN124	C250

We can design as your required







GULLY GRATES

(External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading C	Capacity
	400x400mm	390x390mm	340x340mm	50mm	15KG	EN124	B125	
		500x500mm	490x490mm	435x435mm	60mm	26KG	EN124	C250
	\Box	600x600mm	590x590mm	550x550mm	60mm	34KG	EN124	C250

the second s	External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading Capacity
	300x300mm	270x270mm	190x190mm	40mm	8KG	EN124 C250
LULLU	400x400mm	360x360mm	290x290mm	40mm	15KG	EN124 C250
and the second second	500x500mm	450x450mm	385x385mm	45mm	21KG	EN124 C250
	500x500mm	450x450mm	385x385mm	75mm	29KG	EN124 D400
	600x600mm	540x540mm	480x480mm	75mm	43KG	EN124 D400
	700X700mm	630x630mm	580x580mm	75mm	53KG	EN124 D400




	External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading Cap	bacity
	900x450mm	785x345mm	785x305mm	100mm	52KG	EN124 D4	400
	900x410mm	785x345mm	785x305mm	75mm	42KG	EN124	C250

External Size	Cover Diameter	Clear Opening	Depth	Weight	Loading Capacity
Ø720mm	Ø630mm	Ø600mm	80mm	45kg	EN124 C250
Ø620mm	Ø530mm	Ø500mm	80mm	34kg	EN124 C250







1. Surface Boxes



2.Other Products

